




---

Issue 11/001ME-D

## RUBBER & PLASTIC MATTING & FLOORINGS - LIST 2011 Issue 1

### Entrance & Doorway Matting

*Giving you the competitive edge*



#### ***Product Range covered in this issue:-***

- *MoistureMaster Carpet/Rubber Mats*
  - *Pinscrape Fingertip Mats*
  - *Slipguard Textured Scraper Mats*
  - *Checkafor Heavy Duty Mats*
  - *Zedstep Heavy Duty Mats*
  - *Ring Type Door Mats*
  - *Ironlook Door Mats*
  - *Bevelled safety edge Door Mats*
  - *BubbleTop Solid Door Mats*
  - *Open Ring Type Drainage Door Mats*
  - *Loopex PVC Door Matting*
  - *Scraper Type Entrance Matting*
-

## Table of Contents

**Entrance & Door Mats**

- Page 3 - CORU375 - Rubber Back & CORU376 - Vinyl Back  
**MoistureMaster Carpet Door Mats**  
**Aquamaster Carpet Door Mats**
- Page 4 - CORU376R - Vinyl Back & CORU660  
**Aquamaster Carpet Rolls & Edging**  
**Pinscrape Finger Mats**
- Page 5 - CORU350 & CORU684  
**SlipGard Scraper Mats**  
**Checkerfor HD Mats**  
  
Page 6 - CORU775 & CORU689  
**Zedstep HD Mats**  
**Hollow Ring Door Mats**
- Page 7 - CORU759 & CORU635  
**Iron Look Door Mats**  
**Bevelled Edge Ring Mats**
- Page 8 - CORU639 & CORU625C  
**Bubbletop Solid Mats**  
**Open Ring Drainage Mats**
- Page 9 - CORU669, CORU348 & 349  
**Loop Type PVC Matting**  
**Scraper Type Entrance Matting**
- Page 10 - Back Page  
**Contact details**

Coruba's published price lists are applicable for full length rolls or mats only and are subject to the following conditions:-

**Discount structure:-**

Minimum Order Value: £50.00 - £499.00 net

Order Value: £500.00/749.00 - Less 5%

Order Value: £750.00/999.00 - Less 7.5%

Order Value: £1000.00/1500 - Less 10%

For order value exceeding £1500.00 or repeating, scheduled orders please refer to our sales office.

**Cut Lengths:** Where applicable cut lengths can be offered subject to a 20% surcharge or to a minimum value of £10.00

**Carriage Terms:-**

Carriage is paid on all consignments exceeding £350.00 net value. For consignments below this amount a charge of between £12.50/£30.00 would be levied dependent on consignment size, weight and volume.

The above terms are based on our standard two to three day carrier service and is applicable for England, Wales and Scottish borders. Details on application for other areas.

Surcharges will apply for consignments requested to be sent on next day or special couriers.

We regret that items sent from our other branches may not be included in the above terms.

The materials and styles stated herein represent our standard stock range of matting's.

We have extensive knowledge in this field and would welcome an opportunity to quote you for any special or custom made product you require.

Many of the items listed could be produced in other formats for thickness, size, colour and compound so please do not hesitate to ask for details.

**Other matting and flooring brochures available:-**

- Runner Mattings
- Electrical Safety Matting
- Anti-Fatigue Mattings
- Equine, Animal & Agricultural
- Sports, Leisure & Gym
- Catering - Food & Drinks

Please ask for copies

### Style 375 MoistureMaster Rubber Backed & Edged Carpet Mats



#### FEATURES:

##### **CORU375 - Rubber Backed / Edged**


- 0.61m x 0.91m in Blue, Brown & Charcoal
- 0.91m x 1.50m in Blue, Brown & Charcoal
- 1.22m x 1.80m in Charcoal
- Suitable for inside or outside use
- Ideal for high foot traffic areas
- Traps dirt and moisture with dual level surface
- Durable rubber base construction for long life
- Bevelled rubber safety edges

#### Style Information and Data

An attractive and hardwearing carpet door mat with rubber base and edges for internal or external use.

**CORU375** is stocked in three colour and size formats as illustrated but can be offered in various size and colour options to special order.

### Style 376 Aquamaster Vinyl Backed & Edged Carpet Mats



#### FEATURES:

##### **CORU376 - Vinyl Backed / Edged**

- 0.61m x 0.91m in Blue, Charcoal & Red
- 0.91m x 1.53m in Blue, Charcoal & Red
- 1.22m x 1.83m in Blue, Charcoal & Red
- 1.22m x 2.44m in Blue, Charcoal & Red
- Suitable for inside or outside use [PET]
- Ideal for high foot traffic areas
- Traps dirt and moisture with dual level surface
- Durable Vinyl base construction for long life
- Bevelled Vinyl safety edges
- Anti-Creep base finish
- Absorbs 2.8kgs of water per square metre

#### Style Information and Data

An attractive and hardwearing carpet door mat with Vinyl base and edges for internal or external use.

**CORU376** is stocked in four colour and size formats as illustrated but can be offered in various size and colour options to special order.

## Style 376R Aquamaster Vinyl Backed Carpet Rolls



### FEATURES:

#### **CORU375 - Vinyl Backed**

- 0.91m x 18.3m rolls- Blue & Charcoal
- 1.22m x 18.3m rolls- Blue & Charcoal
- 30m rolls Black Vinyl Ramp edging
- Suitable for inside or outside use [PET]
- Ideal for high foot traffic areas
- Traps dirt and moisture with dual level surface
- Durable Vinyl back construction for long life
- Bevelled Vinyl ramp edges available in coils
- Anti-Creep base finish
- Absorbs 2.8kgs of water per square metre

### Style Information and Data

An attractive and hardwearing carpet roll mat with vinyl base and optional vinyl edge profile to construct longer continuous lengths. Suitable for internal or external use.

**CORU376R** is stocked in two colour and roll size formats as illustrated but can be offered in various size and colour options to special order.

## Style 660 'PinScrape' Rubber Finger Mats



### FEATURES:

- Unique finger patterned surface design
- Made from tough & durable natural rubber
- High slip resistant with anti-trip bevelled edges
- Finger Pin design allows for scraping of feet
- Good dust, dirt and fluid retention
- Easily cleaned

### Style Information and Data

A proven and established favourite loose lay mat for door and entrance ways. Suitable for internal or exterior use.

**CORU660** is stocked in seven size formats as illustrated but can be offered in various size and colour options to special order.

#### **CORU660**

- 0.4m x 0.6m x 13mm Black
- 0.6m x 0.8m x 13mm Black
- 0.6m x 1.0m x 13mm Black
- 0.8m x 1.0m x 13mm Black
- 0.7m x 1.1m x 13mm Black
- 1.5m x 0.9m x 13mm Black
- 1.8m x 0.9m x 13mm Black

## Style 350 SlipGard Textured Rubber Mats



### FEATURES:


- **CORU350 'Textured' Version**
- 1.52m x 0.91m x 6.8mm Black
- 1.82m x 1.22m x 6.8mm Black
- 3.05m x 0.91m x 6.8mm Black
- **CORU350E Plain Economy Type**
- 1.52m x 0.91m
- 1.82m x 1.22m
- Solid synthetic rubber
- High slip resistant textured finish
- Dust, debris & fluid retentive design
- Bevelled safety edges
- Hygienic and easy to shake clean
- Ideal for wet & greasy areas

### Style Information and Data

An durable, effective and hardwearing moulded rubber door mat with tough integrally moulded scraper bars facilitate removal of dirt and grime from feet. Suitable for internal or external use.

**CORU350** is stocked in size and type formats as illustrated but can be offered in various size and colour options to special order.

## Style 684 Checkafor Heavy Duty Mats



### FEATURES:


- 1.5m x 0.915m x 11mm Black
- 2.4m x 0.915m x 11mm Black
- Robust heavy duty natural rubber
- High profile checker plate design
- Dust, debris & fluid retentive pattern
- Bevelled safety edges
- Hygienic and easy to shake clean
- Ideal for entrance or workstation applications

### Style Information and Data

A heavy duty moulded rubber mat with 4 bar deep checker pattern which gives high grip and facilitates scraping of dirt and debris from feet. Waste and moisture is accumulated in well and can be shaken free or hose down when cleaned.

**CORU684** is stocked in three size formats as illustrated but can be offered in various size and colour options to special order.

## Style 775 'ZedStep' Heavy Duty Entrance Mats



### FEATURES:

- 1.22m x 2.44m x 12mm Black
- High quality Rubber compound
- Excellent anti-slip properties
- Hardwearing and durable for high traffic areas
- Unique 'Z' design traps dirt, dust, debris and fluids
- Easily cleaned

### Style Information and Data

A heavy duty moulded rubber mat with unique 'Z' pattern which gives high grip and facilitates scraping of dirt and debris from feet. Waste and moisture is accumulated in well and can be shaken free or hose down when cleaned.

**CORU775** is stocked in one size only as illustrated but can be offered in various size and colour options to special order.

## Style 689 Hollow Ring Type Door Mats



### FEATURES:

- 0.6m x 0.4m x 13mm Black
  - 0.75m x 0.45m x 13mm Black
- Other sizes & Colours to special order**
- Moulded natural rubber mat
  - Bevelled safety edge
  - Slip resistant pattern
  - Good drainage properties
  - Non retention of fluids, dirt or debris
  - Easily cleaned

### Style Information and Data

An old favourite - seen almost everywhere and still being regularly requested. Its simple but does the job - inside or out.

**CORU689** is stocked in two common size formats as illustrated but can be offered in various size and colour options to special order.

## Style 759 IronLook Rubber Door Mats



### FEATURES

- 0.7m x 0.4m x 15mm Black Half-Round Pattern
- 0.75m x 0.45m x 15mm Black Rectangular Pattern

#### Also available with coir inlays

- Unique 'Cast Iron' look design
- Made from tough & durable natural rubber
- Suitable for interior or exterior use
- High drainage properties
- Neat, attractive finish
- Easily cleaned

### Style Information and Data

An attractive and durable moulded rubber mat suitable for inside or exterior use.

**CORU759** is stocked in two common size formats as illustrated but can be offered in various size and colour options to special order.

Also available to special order with coir inlays in various patterns.

## Style 635 Ring Type Moulded Rubber Door Mats



### FEATURES:

- 0.91m x 0.91m x 14mm Black & Red
- 1.52m x 0.91m x 14mm Black & Red
- Black - General Purpose
- Red - Grease resistant
- High Quality Rubber Workstation mats
- Excellent anti-fatigue properties
- Good slip resistant surface pattern
- Good water, liquid and debris drainage
- Integrally moulded bevelled safety edge
- Economically priced

### Style Information and Data


A very popular and attractive high quality moulded rubber free standing anti-fatigue mat with bevelled ramp safety edges all round. The most popular free standing anti-fatigue mat on the market.

**CORU635** is available from stock in various formats as listed and is made to the following general specifications:-

|                         |                     |
|-------------------------|---------------------|
| Polymer Type:           | NR/Blend            |
| Hardness:               | 60°                 |
| Density - SG:           | 1.4                 |
| Tensile Strength:       | 3.0 Mpa             |
| Elongation at break:    | 250%                |
| Abrasion Resistance:    | 250 mm <sup>3</sup> |
| Temperature Resistance: | -20/+70°C           |

This grade can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order. These would be subject to minimum batch run quantities.

## Style 639 BubbleTop Anti-Fatigue Workstation Mats



### FEATURES:

- 610mm x 915mm x 13.0mm Black
- Cushioned 'Bubble' construction
- Excellent anti-fatigue properties
- Good slip resistant surface pattern
- Good quality durable rubber
- Easy to clean surface
- Economically priced

### Style Information and Data


A very popular and highly effective moulded rubber free standing anti-fatigue mat with bevelled ramp safety edges all round.

**CORU639** is available from stock in one size only as listed and is made to the following general specifications:-

|                         |                     |
|-------------------------|---------------------|
| Polymer Type:           | NR/SBR              |
| Hardness:               | 65°                 |
| Density - SG:           | 1.5                 |
| Tensile Strength:       | 3.0 Mpa             |
| Elongation at break:    | 250%                |
| Abrasion Resistance:    | 200 mm <sup>3</sup> |
| Temperature Resistance: | -20/+70°C           |

This grade can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order. These would be subject to minimum batch run quantities.

## Style 625C Open Ring Type Door Mats



### FEATURES:

- 0.5m x 0.75m x 23mm Black
- 0.5m x 1.00m x 23mm Black
- 0.75m x 1.0m x 23mm Black
- 1.0m x 1.50m x 23mm Black

**High quality, heavy duty durable natural rubber for:-**

- Door entrance mats
- Muddy ground stabilisation
- Children's play areas
- Wash down drainage mats

### Style Information and Data


A very popular and highly effective moulded rubber open ring type door mat. Can be used as free standing or in raised or sunken well.

**CORU625** is available from stock in four size formats as listed and is made to the following general specifications:

|                         |                     |
|-------------------------|---------------------|
| Polymer Type:           | NR/SBR              |
| Hardness:               | 65°                 |
| Density - SG:           | 1.5                 |
| Tensile Strength:       | 3.0 Mpa             |
| Elongation at break:    | 250%                |
| Abrasion Resistance:    | 200 mm <sup>3</sup> |
| Temperature Resistance: | -20/+70°C           |



## Style 669 'Loopex' PVC Entrance Matting



### FEATURES:

- 1.2m x 10m x 10mm Pewter Grey
- 1.2m x 10m x 10mm Royal Blue
- Premium Grade PVC
- Unique inter-woven design
- Highly affected surface for removing debris from feet
- Construction allows for dust and debris retention
- Hygienic and easy to shake clean and wash
- Attractive design and pattern


### Style Information and Data

An attractive, hardwearing and durable PVC entrance matting. Widely used in dryer environments offering excellent dust, debris and moisture retention.

**CORU669** is available from stock in two differing colour and type formats, open and solid backed and is made to the following general specifications:-

|                         |                     |
|-------------------------|---------------------|
| Polymer Type:           | PVC                 |
| Hardness:               | 75°                 |
| Density - SG:           | 1.8                 |
| Tensile Strength:       | 3.0 MPa             |
| Elongation at break:    | 200%                |
| Abrasion Resistance:    | 250 mm <sup>3</sup> |
| Temperature Resistance: | -20/+100°C          |

## Style 348 & 349 Ribbed Scraper Runner Matting - Black



### FEATURES:

- 0.91m x 18.3m x 6.4mm
- 1.22m x 18.3m x 6.4mm
- [Both Types]
- Suitable for indoor & outdoor applications
- Very Hard - wearing & durable rubber
- CORU348 - Unique 'V' pattern across width of rolls
- CORU349 - Unique 'V' pattern chequered across roll width
- Slip resistant cross direction scraper patterned surface
- Knobble pattern anti-creep reverse
- Can be used on reverse side for extended life
- Can be used on reverse side for extended life

### Style Information and Data

High quality synthetic rubber runner matting in two distinct pattern formats giving high anti slip characteristics. The unique patterns facilitates scraping of dirty feet and retention of debris.

The above mats are ideal for heavy traffic entrance areas.

**CORU348 & 349** is available from stock in two patterns, which can be reversed for extended life use and is made to the following general specifications:-

|                         |                     |
|-------------------------|---------------------|
| Polymer Type:           | CR/SBR              |
| Hardness:               | 70°                 |
| Density - SG:           | 1.3                 |
| Tensile Strength:       | 8.0 Mpa             |
| Elongation at break:    | 300%                |
| Abrasion Resistance:    | 150 mm <sup>3</sup> |
| Temperature Resistance: | -20/+100°C          |

**The above mattings can be cut to length required to suit door and entrance size or walkways.**



**Head office & Factory:**

Units 28 & 30 Purdeys Way  
Purdeys Industrial Estate  
Rochford  
ESSEX UK  
SS4 1ND

Telephone: 0845 130 1375  
Fax: 0845 130 8375  
Email: [sales@Coruba.co.uk](mailto:sales@Coruba.co.uk)  
Web: [www.Coruba.co.uk](http://www.Coruba.co.uk)

**Fabrication & Conversion Division:-**

Unit 8  
Saxon Business Park  
Littleport  
CAMBRIDGESHIRE UK  
CB6 1XX

Telephone: 0044 [0] 1353 864880  
Fax: 0044 [0] 1353 864881  
Email: [cambridge@Coruba.co.uk](mailto:cambridge@Coruba.co.uk)  
Web: [www.Coruba.co.uk](http://www.Coruba.co.uk)

**Coruba is a division of Accrasystem Limited**

UK Registration No: 2127351

UK VAT Number: 506 1111 07