




Issue 11/001MSP&L

RUBBER & PLASTIC MATTING &
FLOORINGS - LIST 2011 Issue 1
Sports, Leisure & Gym Matting

Giving you the competitive edge



Product Range covered in this issue:-

- *Gym & Weights Area Mats*
 - *Rubber Fleck Floor Matting*
 - *Swimming Pool Surround Open Grid Matting*
 - *Shower Cubicle Mats & Shower Room Matting*
 - *Anti - Slip Boat Deck and Quayside Matting*
 - *Wet Area Flexible PVC Matting - Tiles and Rolls*
 - *Moulded Crumb Rubber Pavers and Tiles*
 - *Moulded Crumb Rubber Playground Tiles*
 - *Open Type Ring Mats for Wash Down Areas, Field & Ground Stabilization and Playground Areas.*
-

Table of Contents

Sports, Leisure & Gym Mats

- Page 3 - CORU607, 610 & 611
CORU602 & CORU604
[Linkable Rubber Gym/Weights Mats](#)
[All Rubber Weights Mat](#)
- Page 4 - CORU629 & CORU715
[Linkable Rubber Gym Mat](#)
[Lightweight EVA Gym Mats](#)
- Page 5 - CORU596 & CORU531
[RubaFlex Gym Floor Matting](#)
[PVC Grid Matting Pools & Showers](#)
- Page 6 - CORU668 & CORU655
[Open Grid PVC Lattice Matting](#)
[Cubicle Shower Mats](#)
- Page 7 - CORU591 & CORU597
[Ezeedek Rhombus Boat Deck Mat](#)
[Pyramid Rubber Runner Matting](#)
- Page 8 - CORU522 & CORU523
[ExDek PVC Tiles and Rolls](#)
[VeeGrip PVC Tiles](#)
- Page 9 - CORU599TM Tiles &
CORU599TMHD Tiles
[Studded PVC Linkable Floor Tiles](#)
[Bark Finish PVC Linkable Floor Tiles](#)
- Page 10 - CORU810 & CORU840
[Rubber Crumb Pavers / Walkers](#)
[Rubber Crumb Tiles / Walkers](#)
- Page 11 - CORU860 & CORU625
[Playground Safety Tiles](#)
[Ground stabilisation mats](#)
- Page 12 - Back Page
[Contact details](#)

Coruba's published price lists are applicable for full length rolls or mats only and are subject to the following conditions:-

Discount structure:-

Minimum Order Value: £50.00 - £499.00 net

Order Value: £500.00/749.00 - Less 5%

Order Value: £750.00/999.00 - Less 7.5%

Order Value: £1000.00/1500 - Less 10%

For order value exceeding £1500.00 or repeating, scheduled orders please refer to our sales office.

Cut Lengths: Where applicable cut lengths can be offered subject to a 20% surcharge or to a minimum value of £10.00

Carriage Terms:-

UNLESS STATED AGAINST PAGE ITEMS:-

Carriage is paid on all consignments exceeding £350.00 net value. For consignments below this amount a charge of between £12.50/£30.00 would be levied dependent on consignment size, weight and volume.

The above terms are based on our standard two to three day carrier service and is applicable for England, Wales and Scottish borders. Details on application for other areas.

Surcharges will apply for consignments requested to be sent on next day or special couriers.

We regret that items sent from our other branches may not be included in the above terms.

The materials and styles stated herein represent our standard stock range of runner matting's.

We have extensive knowledge in this field and would welcome an opportunity to quote you for any special or custom made product you require.


Many of the items listed could be produced in other formats for thickness, size, colour and compound so please do not hesitate to ask for details.

Other matting and flooring brochures available:-

- Runner Mattings
- Electrical Safety Matting
- Anti-Fatigue Mattings
- Entrance & Door Mats
- Equine, Animal & Agricultural Mats
- Catering - Food & Drinks

Please ask for copies

Style 607, 610 & 611 Linkable Rubber Gym Mats



FEATURES:

Style 607 Bubble Pattern Both Sides
1.0m x 1.0m x 16mm thick - Black

Style 610 Studded Pattern - Plain Back
1.0m x 1.0m x 17mm thick - Black

Style 611 Hammered Pattern - Fluted Back
1.0m x 1.0m x 12mm thick - Black
1.0m x 1.0m x 17mm thick - Black

- Durable & Robust Mats
- JigSaw patterned linkable edges
- Pattern Options on both faces
- Heavy Duty Version
- Reversible for extended life
- Easy to clean
- Economically priced

Style Information and Data

A Superior but economically priced all rubber moulded mat ideal for Gym exercise and weights areas

CORU607, 610 & 611 are available from stock in types as listed and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	65°
Density - SG:	1.4
Tensile Strength:	5.0 Mpa
Elongation at break:	300%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 602 & 604 Moulded Rubber Gym Mats



FEATURES:

CORU602 'Hammered' Pattern

- 1.8m x 1.2m x 12mm Black
- 1.8m x 1.2m x 17mm Black

CORU604 'Amoebic' Pattern

- 1.8m x 1.2m x 10mm Black
- 1.8m x 1.2m x 12mm Black
- 1.8m x 1.2m x 17mm Black
- 2.0m x 1.0m x 10mm Black
- 2.0m x 1.0m x 12mm Black
- 2.0m x 1.0m x 17mm Black

- High quality, heavy duty durable natural rubber
- Low profile Amoebic or Hammered pattern one side
- Broad Ribbed fluted pattern other side
- Reversible for extended life
- Easy to clean
- Extended thickness & size range

Style Information and Data

Our bestsellers. Superior, top quality, all rubber moulded mats ideal for Gym exercise and weights areas. Both have clean, low relief pattern anti-slip surfaces which is easy to match when laid.

CORU602 & CORU604 are available from stock in three thickness and two size and pattern formats listed and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	65°
Density - SG:	1.5
Tensile Strength:	3.0 Mpa
Elongation at break:	250%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 629 Moulded Solid Rubber Gym Mat - Interlocking Tile



FEATURES:

- 0.91m x 0.91m x 16mm Black
- Black bevelled safety edges
- Yellow bevelled safety edges

Red oil & grease resistant grade available To special order

- Heavy duty durable Rubber
- Slip resistant pattern finish
- Hollowed reverse for cushioning
- High impact and resilience
- Integral interlocking design
- Excellent protection from falls


Style Information and Data

A heavy duty connectable rubber moulded connectable tile with optional black or yellow bevelled ramp safety edges

CORU556 is available from stock in one size only as listed and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	65°
Density - SG:	1.3
Tensile Strength:	6.0 MPa
Elongation at breal:	300%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 715 'Gymlites' Linkable EVA Exercise & Gym Mats



FEATURES:

- 0.91m x 1.22m x 22mm thick
- High quality & durable EVA Foam Floor Mat
- Lightweight and easy to lay and fit to size
- Interlocking connectable edges
- Attractive low relief finish
- Extremely good insulation properties
- Easy to clean surface

Style Information and Data

A high quality dense and durable expanded EVA foam floor or wall mat giving warmth, comfort and protection from knocks and falls in and around exercise areas.

An ideal mat for self laying and fitting being lightweight and self linking.

CORU715 is available from stock in black at the list size. It can also be made in Hunter Green or Terra Cotta Red and with bevelled edges as optional to special order. These would be subject to minimum batch run quantities.

Style 595 Crumb Rubber Floor Matting in Rolls



FEATURES:


- **Plain Black**
1.25m x 10m in thicknesses of:-
3mm, 4.5mm, 6.0mm, 10.0mm
12.0mm, 15.0mm & 20.0mm
 - **Blue, Green & Red Fleck**
1.25m x 10m in thicknesses of:-
4.5mm and 7.0mm
- Other sizes & colours to special order
- Durable and attractive finish
 - Lightweight and easy to lay and fit to size
 - Economically priced
 - Easy clean / brush flat surface
 - Extremely good insulation properties

Style Information and Data

A high quality dense and durable rubber crumb sheeting offering an attractive and tough floor covering for Gym and associated areas.

CORU595 & CORU596 are available from stock in plain black, blue, green or Red coloured fleck / chip versions as listed. Other colours to special order subject to minimum production batch runs.

Style 531 PVC Grid Matting for Shower Rooms / Swimming Pool Surrounds



FEATURES:


- 0.61m x 12.2m x 12.7mm Blue & Grey
- 0.91m x 12.2m x 12.7mm Blue & Grey
- 1.22m x 12.2m x 12.7mm Blue & Grey
- Heavy duty durable PVC compound
- Slip resistant pattern finish for wet environments
- Excellent drainage characteristics
- High impact and resilience
- Resistant for indoor or outdoor applications
- Excellent resistance to oils, grease & chemicals

Style Information and Data

A high quality pvc grid matting offered excellent non slip characteristics in areas of excess water. Ideal for shower rooms, walkways, or swimming pool surrounds.

CORU531 is available from stock in the colours and roll formats stated or cut pieces as required. Other colours and sizes available to special order but subject to minimum batch production runs.

Style 668 'Lattice' Open Grid PVC Runner Matting



FEATURES:

- 1.2m x 15m x 4.0mm Blue, Green, Red, Grey
- Premium grade PVC Matting
- Unique 'open grid' pattern
- Excellent drainage properties
- Excellent chemical, oil & Grease resistance
- Fully reversible - can be used either face
- Tough and durable construction
- Attractive range of colours

Style Information and Data

An attractive, lightweight, hardwearing and durable PVC runner matting. Ideal in areas of excessive water / liquid spillage. Lattice pattern enables quick drainage of fluids and dust particles. Ideal for temporary cover of areas - can be re-rolled and used again.

CORU668 is available from stock in a variety of differing colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm ³
Temperature Resistance:	-20/+100°C

Style 655 Moulded Rubber / Cork Shower Cubicle Mat



FEATURES:


- 0.6m x 0.6m x 8mm Natural [Tan]
- Warm & comfortable under foot
- Fits most standard shower trays
- Excellent anti-fungicidal Properties confirming to NATO No: 7210-99-923-1423
- High impact and resilience
- Excellent slip resistance
- Pattern allows for easy liquid drainage.

Style Information and Data

A high quality rubber and cork blend moulded mat to fit individual shower cubicles. It is tough and durable, warm and comfortable under foot and has excellent slip and fungicidal growth resistance.

CORU655 is only available from stock in the one size and colour format as listed.

Style 591 'Ezeedek' Rhombus Pattern Non Slip Rubber Matting



FEATURES:

In SBR/NR Rubber Grade

1.0m x 10m x 3.5mm Black, Grey, Blue, Fawn, White

In EPDM Rubber Grade

1.0m x 10m x 3.5mm Black & Grey

- Premium grade Rubber Matting
- Unique, Safe non slip Rhombus Pattern surface
- Excellent anti slip characteristics for applications involving excessive amounts of water & liquids
- Ideal for steep, inclined areas
- Attractive range of colours


Style Information and Data

A unique pattern and concept to Coruba, our Rhombus type matting has excellent grip and non slip characteristics

CORU591 is available from stock in two grades, SBR/NR economy and EPDM/SBR weather resistant and is made to the following general specifications:-

Polymer Types:	SBR/NR EPDM/SBR
Hardness:	70°
Density - SG:	1.4
Tensile Strength:	4.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 597 'Pyramid Plate' Pattern Non Slip Rubber Matting



FEATURES:

- 1.0m x 10.0m x 3.0mm, 4.0mm, 6.0mm, 3.0mm, 4.0mm, 6.0mm
- Black only - colours to special order
- Neat, smart & attractive pattern
- Hard - wearing & durable rubber
- Unique patterned finish
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties

Style Information and Data

A very popular runner matting with a crisp, smart and attractive high relief multi-directional design produced from high quality and durable rubber.

CORU597 is available from stock in three thickness and two width formats and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	60/70°
Density - SG:	1.4
Tensile Strength:	3.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm ³
Temperature Resistance:	-20/+70°C

Style CORU522 'Exdek' PVC Tiles and Rolls



FEATURES:

- **Rolls**
0.91m x 10m Black, Grey, Red, Blue
- **Tiles**
0.30m x 0.30m in Grey & Black
The above tiles are linkable
- High quality flexible PVC Construction
- Open grid allows for easy drainage
- Clean & Hygienic - Oil, grease, chemical, heat bacteria and mould resistant
- Reversible for extended mat life
- Easily cut to size
- Bevelled edge strips available.

Style Information and Data

An attractive, hardwearing and durable PVC matting. Ideal for areas with excess water present - shower rooms, walkways and cubicles, decks and quaysides. High anti-slip pattern and open grid design allows safe footing and quick drainage of unwanted fluids and debris


CORU522 ExDek is available from stock in a variety of differing type and colour formats as listed and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	NA
Abrasion Resistance:	150 mm ³
Temperature Resistance:	-20/+100°C

Note

Rolls sizes stated are produced from tile format linked / connected into rolls as above. Tiles can also be linked into longer / narrower size or large areas. Ramp edges available to special order.

Style CORU523 'VeeGrip' PVC Tiles



FEATURES:

- 0.30m x 0.30m
- Available: Black, Grey, Blue, Green,
- Approximately 12 pieces per M2
- High quality flexible PVC Construction
- Open grid allows for easy drainage
- Clean & Hygienic - Oil, grease, chemical, heat bacteria and mould resistant
- Bevelled edge strips available.

Style Information and Data

An attractive, hardwearing and durable PVC matting. Widely use in areas with excess water in abundance such as deck areas, shower cubicles and rooms, canteens and catering [food & drink preparation]

VeeGrip is available from stock in a variety of differing type and colour formats as listed and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Temperature Resistance:	-20/+100°C

Style 599TM Circular Stud Linkable PVC Tiles - Black & Colours



FEATURES:

- **PVC Tile Mats**
- 457mm x 457mm x 4.5mm thick
- **Colours:-**
- Black, Grey, Blue, Green, Red
- **Packed 20 [appx: 4.2M2] tiles box**
- Neat, smart & Attractive pattern
- Hard - wearing & durable PVC
- High Slip resistant multi-directional patterned surface
- Easy Lay snap in links
- Good floor to foot cold insulation properties


Style Information and Data

A very popular Durable, hard wearing and attractive linkable PVC round circular stud pattern design tile.

CORU599TM is available from stock in five popular colours and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	70°
Density - SG:	1.4
Tensile Strength:	4.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 599TMHD 'Bark Finish' Linkable PVC Tiles - Black & Colours



FEATURES:

- **PVC Tile Mats**
- 500mm x 500mm x 7.0mm thick
- **Colours:-**
- Black, Grey, Blue, Green, Red, Yellow and White
- **Packed 10 [appx: 2.5 M2] tiles box**
- Neat, smart & Attractive pattern
- Hard - wearing & durable PVC
- Slip resistant multi-directional patterned surface
- Easy Lay snap in links
- Good floor to foot cold insulation properties
- Available in Black, Grey & Colours [SEE ABOVE]

Style Information and Data

A very popular Durable, hard wearing and attractive linkable PVC 'bark' finish pattern design tile.

CORU599TMHD is available from stock in five popular colours and is made to the following general specifications:-

Polymer Type:	PVC [SR]
Hardness:	75/85°
Density - SG:	1.4
Tensile Strength:	4.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

Style 810 Moulded Crumb Rubber Pavers



FEATURES:

- 0.2m x 0.16m x 25mm Black & Red
- 0.2m x 0.16m x 43mm Black & Red

Appx: 36 blocks to make up 1 M2

- Heavy duty durable crumb rubber
- Easy interlocking design for area coverage
- Slip resistant finish
- High impact and resilience
- Excellent protection from falls
- Attractive 'Paved' look design

Style Information and Data

A conglomerated moulded rubber crumb paver ideal for horse walker and general areas of movement and activity. An ideal item for self fitting, the pavers being self locking for ease of lay.

CORU810 is available from stock in black and red in the listed sizes. It can also be made in various colours, sizes and shape formats to special order. Minimum batch quantities would apply for these.

Style 840 Moulded Crumb Rubber Tiles



FEATURES:


- 0.5m x 0.5m x 25mm in Black, Red & Green
- 0.5m x 0.5m x 50mm in Black, Red & Green
- Heavy duty durable crumb rubber
- Slip resistant finish
- High impact and resilience
- Excellent protection from falls
- Attractive 'Paved' look design

Style Information and Data

A conglomerated moulded rubber crumb tile ideal for horse walker and general areas of movement and activity. Can also be used for general areas of paving offering a warm, safe and comfortable surface. An ideal item for self fitting, the tile being light weight for easy handling for ease of lay.

CORU840 is available from stock in black, red and green in the listed sizes. It can also be made in various colours, sizes and shape formats to special order. Minimum batch quantities would apply for these.

Style 860 Moulded Crumb Rubber Playground Tiles



FEATURES:

- 1.0m x 1.0m x 20mm , 30mm , 50mm
Black ONLY
- Red & Green to special order
- **Other thicknesses available to order subject to fall height confirmation**
- Some items may be subject to special order
- Please check with sales for quotation
- Heavy duty durable crumb rubber
- Plain Rubber Flat Face
- 'Egg box' reverse for impact absorption
- Slip resistant finish
- High impact and resilience
- Excellent protection from falls

Style Information and Data

A conglomerated moulded rubber crumb paver ideal for playground areas and general areas of movement and activity.

CORU860 is available from stock in black in the listed sizes. It can also be made in various colours, sizes and shape formats to special order. Minimum batch quantities would apply for these.

Style 625 Open Ring Type Ground Stabilisation & Play Area Mats



FEATURES:

- 0.6m x 0.4m x 16mm & 23mm Black
- 1.2m x 0.8m x 16mm & 23mm Black
- 1.5m x 1.0m x 16mm & 23mm Black
- 1.0m x 1.0m x 30mm Black linkable
- High quality, heavy duty durable natural rubber
- Hollow ring type - round type
- Animal Wash down areas
- Muddy Ground stabilisation
- Children's play areas
- Door entrance mats
- Anti-fatigue & workstation Mats
- Connection accessories available.

Style Information and Data

A high quality moulded rubber mat used extensively for muddy field / area stabilisation and children's playground floor coverings.

CORU625 is available from stock in the size formats listed and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	65°
Density - SG:	1.5
Tensile Strength:	3.0 Mpa
Elongation at break:	250%
Abrasion Resistance:	200 mm ³
Temperature Resistance:	-20/+70°C

This grade can be produced in varying width, length and thickness formats and in a variety of colours to special order. A flame-retardant version is also available,. These would be subject to minimum batch run quantities.



Head office & Factory:

Units 28 & 30 Purdeys Way
Purdeys Industrial Estate
Rochford
ESSEX UK
SS4 1ND

Telephone: 0845 130 1375
Fax: 0845 130 8375
Email: sales@Coruba.co.uk
Web: www.Coruba.co.uk

Fabrication & Conversion Division:-

Unit 8
Saxon Business Park
Littleport
CAMBRIDGESHIRE UK
CB6 1XX

Telephone: 0044 [0] 1353 864880
Fax: 0044 [0] 1353 864881
Email: cambridge@Coruba.co.uk
Web: www.Coruba.co.uk

Coruba is a division of Accrasystem Limited

UK Registration No: 2127351

UK VAT Number: 506 1111 07