




---

Issue 11/001MRun

## RUBBER & PLASTIC MATTING & FLOORINGS - List 2011 Issue 1

### Runner Matting's in roll format

*Giving you the competitive edge*



#### ***Product Range covered in this issue:-***

- *Fine Ribbed [ Corrugated type]*
  - *Flat Ribbed [ Castellated type]*
  - *Flat Ribbed [ Broad flute type]*
  - *Checker Plate*
  - *Orange Peel*
  - *Diamond & Pyramid*
  - *Rope Affect*
  - *Hammered Pattern*
  - *Round & Square stud*
  - *Scraper types*
  - *Rhombus anti slip*
  - *PVC Gripflute, Lattice & Membrane*
  - *Plain finish types*
-

## Table of Contents

### Runner Matting's

- Page 3 - CORU500 & CORU505  
Fine Ribbed [corrugated] types
- Page 4 - CORU520 & CORU540  
Flat Fluted [castellated] type  
Flat Broad Ribbed Type
- Page 5 - CORU542 & CORU545  
Flat Medium Ribbed Type  
Checker Plate Pattern Types
- Page 6 - CORU737 & CORU546  
PVC Checker Plate Pattern Type  
Orange Peel Pattern
- Page 7 - CORU596 & CORU597  
Diamond Plate Pattern  
Pyramid Plate Pattern
- Page 8 - CORU598 & CORU577  
Rope Effect Pattern  
Heavy Duty Diamond Matting
- Page 9—CORU664 ,CORU665 & CORU599  
Hammered [Magnamat] Pattern  
Circular Stud Pattern - rubber
- Page 10 - CORU666 & CORU591  
Square Stud PVC Pattern - PVC  
RHOMBUS' Pattern
- Page 11 - CORU561 & CORU563  
PVC Round Stud & Pebble Matting
- Page 12 - CORU560,CORU562 & CORU348 & CORU349  
PVC Ribbed & Pyramid Matting  
Scraper Patterns - rubber
- Page 13 - CORU667 & CORU667GL  
Grip-Flute Pattern PVC  
Grip Etched PVC Membrane Liner
- Page 14 - CORU668 & CORU531  
Lattice Open Grid PVC Pattern  
Open Grid PVC Matting
- Page 15 - CORU110 & CORU595  
Plain Finish Rubber Mattings
- Page 16 - Back Page  
Address & contact details

Coruba's published price lists are applicable for full length rolls or mats only and are subject to the following conditions:-

#### Discount structure:-

Minimum Order Value: £50.00 - £499.00 net

Order Value: £500.00/749.00 - Less 5%

Order Value: £750.00/999.00 - Less 7.5%

Order Value: £1000.00/1500 - Less 10%

For order value exceeding £1500.00 or repeating, scheduled orders please refer to our sales office.

**A CORUALL PERCENTAGE OF ROLLS SUPPLIED MAY BE IN TWO PIECES**

Cut Lengths: Where applicable cut lengths can be offered subject to a 20% surcharge or to a minimum value of £10.00

#### Carriage Terms:-

Carriage is paid on all consignments exceeding £350.00 net value. For consignments below this amount a charge of between £12.50/£30.00 would be levied dependent on consignment size, weight and volume.

The above terms are based on our standard two to three day carrier service and is applicable for England, Wales and Scottish borders. Details on application for other areas.

Surcharges will apply for consignments requested to be sent on next day or special couriers.

We regret that items sent from our other branches may not be included in the above terms.

The materials and styles stated herein represent our standard stock range of runner matting's.

We have extensive knowledge in this field and would welcome an opportunity to quote you for any special or custom made product you require.


Many of the items listed could be produced in other formats for thickness, size, colour and compound so please do not hesitate to ask for details.

#### Other matting and flooring brochures available:-

- Electrical Safety
- Anti-Fatigue
- Entrance and Doorway
- Equine, Animal & Agricultural
- Sports, Leisure & Gym
- Catering

Please ask for copies

## Style 500 & 505 Fine Ribbed Rubber Runner Matting



### STOCK ROLL SIZES:

- 0.9m x 10m x 3mm
- 1.0m x 10m x 3mm
- 1.2m x 10m x 3mm
- 1.0m x 10m x 4.5mm
- 1.2m x 10m x 4.5mm
- 1.0m x 10m x 6.0mm
- 1.2m x 10m x 6.0mm

Other thickness's & roll sizes to special order

### FEATURES:

- Economically priced
- Hard - wearing & durable rubber
- Slip resistant directional ribbed surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Extensive colour range available to special order

### Options:

Colours	To special order
Other sizes	To Special order
Cut lengths	Yes in 1m multiples
Cut Shapes	Yes
Adhesive Backing	Yes - subject to clients tests for

### Style Information and Data

Probably the most commonly requested and best known runner matting specified by our customers. Due to the nature and economy of manufacture minor surface deformations and blemishes may occur and material may be more odorous than normal.

We offer this style in two grades, **CORU500** economy and **CORU505** premium, both types are manufactured to the following general specifications:-

Polymer Type:	SBR
Hardness:	65/75°
Density - SG:	1.5
Tensile Strength:	2.5 Mpa
Elongation at break:	130%
Abrasion Resistance:	300 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

Both grades can be produced in varying width, length and thickness formats and in a variety of colours to special order. These would be subject to minimum batch run quantities, usually 200 M2 per size/colour.

Other details upon request.

## Style 520 Flat [Castellated] fluted Rubber Runner Matting



### FEATURES:

- Smart attractive pattern
- Hard - wearing & durable rubber
- Slip resistant directional ribbed surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Extensive colour range available to special order
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.


### Style Information and Data

A very popular and attractive runner matting.

**CORU520** is available from stock in three width and thickness formats and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	60/70°
Density - SG:	1.4
Tensile Strength:	3.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 540 Flat [Broad Ribbed] Fluted Runner Matting - Black



### FEATURES:

- Smart, attractive pattern
- Heavy Duty, Hard - wearing & durable rubber
- Clean, sheen finish
- Slip resistant directional ribbed surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Extensive colour range available to special order
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.

### Style Information and Data


A heavy duty and durable rubber runner matting. Widely used in the animal, equine and livestock industries offering a tough and hardwearing floor covering and protection layer for enclosures, pens and transporters.

**CORU540** is available from stock in a variety of differing formats and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	3.0 MPa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Page 5 Rubber Runner Matting

### Style 542 Flat [Medium Ribbed] Fluted Runner Matting



#### FEATURES:

- Smart, attractive pattern
- Hard - wearing & durable rubber
- Medium width fluted finish
- Slip resistant directional ribbed surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Extensive colour range available to special order
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.


#### Style Information and Data

An attractive and durable rubber runner mat with a medium width flat [castellated] fluted anti-slip directional finish.

**CORU542** is available from stock in a variety of differing formats and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	3.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

### Style 545 'Checker Plate' Runner Matting - Single & Five Bar Types



#### FEATURES:

- Smart & Attractive pattern
- Hard - wearing & durable rubber
- Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.

#### Style Information and Data

An attractive and durable rubber runner matting. Widely used anti-slip floor coverings in a multitude of environments.

**CORU545** is available from stock in a variety of differing type and colour formats and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	3.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C



## Style 737 'Checker Plate' PVC Runner Matting



### FEATURES:

- Attractive Checker/Diamond Embossed Pattern
- High Oil, Grease & Chemical resistance
- Excellent slip resistant characteristics
- Suitable for wet & dry areas
- High insulation properties
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.

### Style Information and Data

An attractive, hardwearing and durable PVC runner matting. Widely used for anti-slip floor coverings in a multitude of environments.

**CORU737** is available from stock in a variety of differing type and colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

## Style 546 'Orange Peel' Runner Matting - Black



### FEATURES:

- Hard - wearing & durable rubber
- Unique 'Crazed' bark patterned finish
- Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.

### Style Information and Data

A unique pattern matting which has good non-slip and anti-slip characteristics.

**CORU546** is available from stock in a variety of differing type and colour formats and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	2.5 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

### Style 547 'Micro Dot' Plate' Runner Matting - Black



#### FEATURES:

- Hard - wearing & durable rubber
- Unique 'Mini Dot' patterned finish
- Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties


#### Style Information and Data

A unique pattern matting which has good non-slip and anti-slip characteristics.

**SM547** is available from stock in Black or Green and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	2.5 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

### Style 596 'Diamond Plate' Runner Matting - Black



#### FEATURES:

- Neat, Smart & attractive pattern
- Hard - wearing & durable rubber
- Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order.


#### Style Information and Data

A very popular runner matting with a crisp, smart and attractive low relief multi-directional design produced from high quality and durable rubber.

**CORU596** is available from stock in two thickness formats and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	60/70°
Density - SG:	1.4
Tensile Strength:	3.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 597 'Pyramid Plate' Runner Matting - Black



### FEATURES:

- Neat, smart & attractive pattern
- Hard - wearing & durable rubber
- Unique patterned finish
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Can be produced in varying width, length and thickness formats and in a variety of colours [RAL matched if needed] to special order

### Style Information and Data

A very popular runner matting with a crisp, smart and attractive high relief multi-directional design produced from high quality and durable rubber.

**CORU597** is available from stock in three thickness and two width formats and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	60/70°
Density - SG:	1.4
Tensile Strength:	3.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 598 'Rope Affect' Rubber Runner Matting - Black



### FEATURES:

- Neat, Smart & Attractive pattern
- Hard - wearing & durable rubber
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- This grade can be produced in varying length and thickness formats to special order. These would be subject to minimum batch run quantities,

### Style Information and Data

A unique pattern matting which has good non-slip and anti-slip characteristics.

**CORU598** is only available from stock in one format and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	2.5 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C



## Style 577 Heavy Duty Diamond Rubber Runner Matting - Black



### FEATURES:

- Neat, Smart & Attractive pattern
- Hard - wearing & durable rubber
- Slip resistant Diamond Rhombus patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- This grade can be produced in varying length and thickness formats to special order. These would be subject to minimum batch run quantities,

### Style Information and Data

A deep impression diamond pattern matting which is heavy duty and has good non-slip characteristics. **CORU577** is only available from stock in one format and is made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	2.5 Mpa
Elongation at break:	150%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 664 'Hammered Truck Bed Mats' - Black Style 665 'Hammered' Rubber Matting - Black



### FEATURES:

- Heavy Duty
- Extra wide widths available
- Hard - wearing & durable rubber
- Unique patterned finish
- Slip resistant multi-directional patterned surface
- Fluted reverse for good drainage & Insulation
- Good floor to foot cold insulation properties
- This grade can be produced in varying length and thickness formats to special order. These would be subject to minimum batch run quantities,


### Style Information and Data

A Smart, attractive and very heavy duty, hard wearing and durable rubber matting. Used extensively on vehicle floors, animal transporters, animal enclosures and many varied industrial areas.

**CORU664** is available from stock in three pre cut size formats and **CORU665** in varying thickness and roll sizes which are made to the following general specifications:-

Polymer Type:	SBR/NR
Hardness:	66/75°
Density - SG:	1.5
Tensile Strength:	3.5 Mpa
Elongation at break:	300%
Abrasion Resistance:	200 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 599 Circular Stud Runner Matting - Black & Colours



### FEATURES:


- Neat, Smart & Attractive pattern
- Hard - wearing & durable rubber
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Also available in scuff resistant matt finish
- This grade can be produced in varying length and thickness formats to special order. These would be subject to minimum batch run quantities,

### Style Information and Data

A very popular and attractive runner matting with round circular stud pattern design with anti-creep back pattern. **CORU599** is available from stock in two grades, economy [matt finish] and premium [sheen finish] and is made to the following general specifications:-

Polymer Type:	NR/SBR
Hardness:	70°
Density - SG:	1.4
Tensile Strength:	4.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	200 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 666 Square Studded PVC Runner Matting - Black & Colours



### FEATURES:

- Attractive low relief square studded pattern
- Clean & Hygienic
- Durable PVC compound
- Slip resistant multi-directional patterned surface
- Good floor to foot cold insulation properties
- Economically priced
- This grade can be produced in varying width, length and thickness formats and in a variety of colours to special order. These would be subject to minimum batch run quantities

### Style Information and Data

An attractive, hardwearing and durable PVC runner matting. Widely used for anti-slip floor coverings in a multitude of environments.

**CORU666** is available from stock in five differing colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.8
Tensile Strength:	3.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

## Style 591 'Rhombus' Rubber Matting



### FEATURES:

- Premium grade Rubber Matting
- Unique, Safe non slip Rhombus Patten surface
- Excellent anti slip characteristics for applications involving excessive amounts of water & liquids
- Ideal for steep, inclined areas
- Attractive range of colours

### Style Information and Data

A unique pattern and concept to Coruba, our Rhombus type matting has excellent grip and non slip characteristics **CORU591** is available from stock in two grades, SBR/NR economy and EPDM/SBR weather resistant and is made to the following general specifications:-

Polymer Types:	SBR/NR EPDM/SBR
Hardness:	70°
Density - SG:	1.4
Tensile Strength:	4.0 Mpa
Elongation at break:	150%
Abrasion Resistance:	200 mm <sup>3</sup>
Temperature Resistance:	-20/+70°C

## Style 561 Circular Stud & Style 563 Pebble Runner Mattings - Black & Colours



### FEATURES:

- Neat, Smart & Attractive patterns
- Hard - wearing & durable
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties
- Safe & Hygienic & Non Toxic Clean & Hygienic
- Slip resistant multi-directional patterned surface
- Economically priced
- This grade can be produced in varying width, length and thickness formats and in a variety of colours to special order.

### Style Information and Data

Attractive, hardwearing and durable PVC runner mattings. Widely used for anti-slip floor coverings in a multitude of environments.


**CORU561 & 563** are available from stock in two patterns and five differing colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.8
Tensile Strength:	3.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C



## Page 12 *Patterned Runner Mattings*

### Style 560 Ribbed & Style 562 Pyramid Runner Mattings - Black & Colours



#### FEATURES:

- Neat, Smart & Attractive patterns
- Hard - wearing & durable
- High Slip resistant multi-directional patterned surface
- Impression finish anti-creep reverse
- Good floor to foot cold insulation properties

#### Style Information and Data

Attractive, hardwearing and durable PVC runner mattings. Widely used for anti-slip floor coverings in a multitude of environments.

**CORU560 & 562** are available from stock in two pattern styles and differing colour formats as stated and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.8
Tensile Strength:	3.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	250 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

### Style 348 & 349 Ribbed Scraper Runner Matting - Black



#### FEATURES:

- Suitable for indoor & outdoor applications
- Very Hard - wearing & durable rubber
- CORU348 - Unique 'V' pattern across width of rolls
- CORU349 - Unique 'V' pattern chequered across roll width
- Slip resistant cross direction scraper patterned surface
- Knobble pattern anti-creep reverse
- Can be used on reverse side for extended life

#### Style Information and Data

High quality synthetic rubber runner matting in two distinct pattern formats giving high anti slip characteristics. The unique patterns facilitates

scraping of dirty feet and retention of debris.


The above mats are ideal for heavy traffic entrance areas.

**CORU348 & 349** is available from stock in two patterns, which can be reversed for extended life use and is made to the following general specifications:-

Polymer Type:	CR/SBR
Hardness:	70°
Density - SG:	1.3
Tensile Strength:	8.0 Mpa
Elongation at break:	300%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C



## Style 667 'Grip-Flute' PVC Reversible Runner Matting



### FEATURES:

- Premium grade PVC Matting
- Safe non slip Etched Diamond Pattern surface on side
- Flat castellated flat fluted reverse side
- Excellent chemical, oil & Grease resistance
- Fully reversible - can be used either face
- Attractive range of colours

### Style Information and Data

An attractive, hardwearing and durable PVC runner matting. Widely used for anti-slip floor coverings in a multitude of environments and is reversible for extended like usage.

**CORU667** is available from stock in a variety of differing colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

## Style 667GL Grip Liner PVC Membrane Matting



### FEATURES:

- Premium grade PVC Matting
- Safe non slip Etched Diamond Pattern surface on side
- Plain CORUooth backing
- Excellent chemical, oil & Grease resistance
- Clean, Hygienic, Tough & durable
- Attractive range of colours

### Style Information and Data


An attractive, hardwearing and durable PVC runner lining membrane matting. Widely used for anti slip lining on drawers, trays, benches and table tops.

**CORU667GL** is available from stock in three colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

This grade can be produced in varying width, length and thickness formats and in a variety of colours to special order. These would be subject to minimum batch run quantities,

## Style 668 'Lattice' Open Grid PVC Runner Matting



### FEATURES:

- Premium grade PVC Matting
  - Unique 'open grid' pattern
  - Excellent drainage properties
  - Excellent chemical, oil & Grease resistance
  - Fully reversible - can be used either face
  - Tough and durable construction
  - Attractive range of colours
- Many other colours to special order


### Style Information and Data

An attractive, hardwearing and durable PVC runner matting. Ideal in areas of excessive water / liquid spillage. Lattice pattern enables quick drainage of fluids and dust particles.

**CORU668** is available from stock in a variety of differing colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

## Style 531 HD Open Grid PVC Runner Matting



### FEATURES:

- Premium grade PVC Matting
- Heavy Duty 'open grid' pattern
- Excellent drainage properties
- Excellent chemical, oil & Grease resistance
- Tough and durable construction
- Other colours made to special order

### Style Information and Data

An attractive, hardwearing and durable PVC runner matting. Ideal in areas of excessive water / liquid spillage. Lattice pattern

enables quick drainage of fluids and dust particles.

**CORU531** is available from stock in two colour formats and is made to the following general specifications:-

Polymer Type:	PVC
Hardness:	75°
Density - SG:	1.7
Tensile Strength:	8.0 Mpa
Elongation at break:	200%
Abrasion Resistance:	150 mm <sup>3</sup>
Temperature Resistance:	-20/+100°C

## Style 110 & 595 Plain Rubber Runner Matting / Sheeting



### FEATURES:

- For general purpose & specialised applications
- CORUooth or impression surfaces
- Ideal for bench tops and draw / tray linings
- Component and operator hand protection
- Noise reducing
- Economically priced

### Style Information and Data

We offer an extensive range of plain rubber and plastic type sheerings from stock for varies degrees of resistance and applications.

**CORU110 and CORU595** are basic general purpose grades. CORU110 is a solid material and CORU595S [soft] and CORU595M [medium] are regenerated rubber 'crumb' products.

Over 50 grades are available from our stock range in various compounds, colours and thickness's.

Please ask for our sheeting's brochure for full details and data.

**The sizes/details given as examples.  
Many other thicknesses are available  
Details on application**



**Head office & Factory:**

Units 28 & 30 Purdeys Way  
Purdeys Industrial Estate  
Rochford  
ESSEX UK  
SS4 1ND  
Telephone: 0845 130 1375  
Fax: 0845 130 8375  
Email: [sales@Coruba.co.uk](mailto:sales@Coruba.co.uk)  
Web: [www.Coruba.co.uk](http://www.Coruba.co.uk)

**Extrusion & Moulding Division:-**

Temple House  
221-225 Station Road  
Harrow  
MIDDLESEX  
HA1 2TH

Telephone: 0044 [0] 208 861 8378  
Fax: 0044 [0] 208 861 8379  
Email: [tom.cockburn@Coruba.co.uk](mailto:tom.cockburn@Coruba.co.uk)

**Fabrication & Conversion Division:-**

Unit 8  
Saxon Business Park  
Littleport  
CAMBRIDGESHIRE UK  
CB6 1XX  
Telephone: 0044 [0] 1353 664880  
Fax: 0044 [0] 1353 664881  
Email: [cambridge@Coruba.co.uk](mailto:cambridge@Coruba.co.uk)  
Web: [www.Coruba.co.uk](http://www.Coruba.co.uk)

**Coruba is a division of Accrasystem Limited**

UK Registration No: 2127351

UK VAT Number: 506 1111 07